



Camp Bow Wow
Corrugated Metal Panels
Date: 7/11/2018

To Order Contact:

Romulo T. (RT) Sandoval

Inside Sales Coordinator

RTSandoval@mbci.com



14031 West Hardy, Houston, TX 77060

T: 877-713-6224

O: 281-445-8555

D: 281-847-8098

www.mbc.com

Revised 07.11.2018

Houston, TX 877-713-6224
Adel, GA 888-446-6224
Atlanta, GA 877-512-6224
Atwater, CA 800-829-9324
Dallas, TX 800-653-6224
Indianapolis, IN 800-735-6224

Jackson, MS 800-622-4136
Lubbock, TX 800-758-6224
Memphis, TN 800-206-6224
Oklahoma City, OK 800-597-6224
Omaha, NE 800-458-6224


Phoenix, AZ 888-533-6224
Richmond, VA 800-729-6224
Rome, NY 800-559-6224
Salt Lake City, UT 800-874-2404
San Antonio, TX 800-598-6224



ENGINEERING

COMMERCIAL / INDUSTRIAL

PBC PANEL



Order G90 26ga sheets in either 3ft or 8ft lengths. Each Sheet Covers 32" in width. J- Channel (EJB) Horizontal Base Trim (BDB) Inside and Outside corners are also available in 10 lengths.

1"x5-1/2" TREX Select Composite Deck Board, color Woodland Brown, Square Edge;
Comes in three lengths - 1"x5-1/2"x12' , 1"x5-1/2"x16' & 1"x5-1/2"x20'; TREX Select
CDB is used for baseboard and trim around corrugated metal.




1"x8"x12" TREX Select Composite Deck Fascia, color Woodland Brown, Square Edge;
Comes in one length - 1"x8"x12'; TREX Select CD Fascia is used as top cap on half
walls of Tea Cup Areas.








CP-1





CP -2 Wainscot wall section detail



8' corrugated on existing CMU or typical framed wall with gypsum



Wall detail for pre-engineered metal building





SURFACE MOUNT ALL
ELECTRICAL BOXES--



All switches and outlets should be 48" A.F.F. to center.

However, switches and outlets can be moved higher than 48" O.C. A.F.F. to avoid cutting/notching metal panels.



This metal corner must be installed so it **COVERS** the horizontal trim—(it needs to be 1" longer)

This exposed edge is not acceptable as it creates a sharp edge





THIS PAGE LEFT INTENTIONALLY BLANK!

THIS PAGE LEFT INTENTIONALLY BLANK!