



This addendum forms a part of the Contract Documents and modifies the original Bidding Documents dated **December 2, 2019** as noted below. Acknowledge receipt of this addendum in the space provided on the Official Bid Form. Failure to do so may subject the Bidder to disqualification.

REVISION TO SECTION 09510 — ACOUSTIC UNITS

Change ***original*** Section 09510

Article 2.2, B: Add new item #9 as follows:

B. Acoustical Panels, Non-Rated (Scheduled as ACT-1):

1. Size: 24" x 48".
2. Thickness: 1/2".
3. Composition: Gypsum with vinyl face.
4. Light Reflectance: 0.75 min.
5. CAC: 46 min.
6. Edge: Square Edges.
7. Surface Color: White.
8. Pattern: National Gypsum Gold.
9. Locations of use: Restrooms.

REVISION TO SECTION 09510 — ACOUSTIC UNITS

Add to ***original*** Section 09510

Article 2.2: Add new item C as follows:

C. Acoustical Panels, Non-Rated (Scheduled as ACT-2):

1. Size: 24" x 48".
2. Thickness: 3/4".
3. Composition: Mineral Fiber.
4. Light Reflectance: 0.85 min.
5. CAC: 35 min.
6. NRC: 0.70 min.
7. Edge: Square Edges.
8. Surface Color: White.
9. Pattern: Armstrong #1714 School Zone Fine Fissured or approved.



10. Locations of use: Hallways

REVISION TO SECTION 09510 — CEILING TILES

Change *original* 09510.2.1

FROM:

2.1 — 12"x12" CEILING TILES

TO:

2.3 12"X12" CEILING TILES

REVISIONS TO DRAWINGS

A2.1

1. Noted that the floor drain in Girls 38 is new and not relocated

A2.2

1. Clarified type of ceiling tile

A6.1

1. Clarified type of ceiling tile

P3.1

1. Noted floor drain in Girls 38 is new, not relocated

END OF ADDENDUM 2