

Travel Information Council
1500 Liberty St. SE, Suite 150
Salem, Oregon 97302
503-378-4508 1-800-574-9397
503-378-6282 FAX



Kate Brown, Governor

ITB 2018-002 Northbound & Southbound Oak Grove Safety Rest Area Rest Room Replacements Addendum 3

DATE: December 21, 2018

REGARDING: ATTACHMENT A - SPECIFICATIONS

1- SECTION 07 6100 – SHEET METAL ROOFING, PART 2 PRODUCTS, 2.02 SHEET MATERIALS

Delete paragraph A and replace with the following:

- A. Pre-Finished Galvanized Steel Sheet: ASTM A653/A653M, with G90/Z275 zinc coating; 26 gage minimum core steel, shop pre-coated with PVDF (polyvinylidene fluoride) coating; color as selected.

2- SECTION 08 4313 – ALUMINUM-FRAMED STOREFRONTS, PART 1 GENERAL, 1.08 WARRANTY

Delete paragraph B and replace with the following:

- B. Correct defective Work within a one-year period after Date of Substantial Completion.

3- SECTION 09 6723 – RESINOUS FLOORING, PART 1 GENERAL, 1.1 SUMMARY

Delete paragraph A and replace with the following:

- B. Section includes resinous flooring systems to be installed within each toilet room.

4- SECTION 26 5000 – LIGHTING, PART 1 GENERAL, 1.04 WARRANTY

Delete paragraph B and C and replace with the following:

- C. LED Luminaire Warranty: The manufacturer shall provide a warranty against loss of performance and defects in materials for the Luminaires for a period of 5 years after acceptance of the Luminaires. Replacement Luminaires shall be provided promptly after

receipt of the Luminaires that have failed at no cost to the customer. All warranty documentation shall be provided to customer prior to random sample testing.

- D. Lamp Warranty: 5 years LED module, 30 days for incandescent, 6 months for compact fluorescent, 12 months for fluorescent and HID lamps.



Oak Grove Northbound & Southbound Rest Area Rest Room Replacement ITB – Pre-bid Conference
Thursday November 15th, 9:00am

Name	Company	Phone	Email
Bob Buss	Bridgeway Contracting	541-501-9020	bob@bridgewaycontracting.com
JERRY SCHULTZ	2G CONSTRUCTION	541-689-3850	2g@2gconstruction.com
Dean Denny	Class 2 Design and Construction LLC	541-684-4933	cdstems@aol.com
Vic Andermatt	DSC Builders	503-302-3124	VICA@DSL-Builder.com
Chris Vejnoska	Richards Remodeling	541-952-1374	chris@richardsremodeling.com john@richardsremodeling.com
CHRIS SMITH	FM sheet Metal	541-726-3000	csmith@fmsheetmetal.com
Mark Stuckart	N. Santiam Paving	503-769-3436	Quotes@nspor.com
PAT RYAN	TORNADO SOFT EXCAVATIONS LLC	503-932-1266	pat@tbcconstruction.com